Web Results **1** - **10** of about **11** for **an input portion receiving input color image data which is defined for an input-end**

Color compression apparatus and **color** compression method - Patent ...
A **color** compression apparatus, comprising: **an input portion receiving input color image data which is defined for an input-end device and which is located** ...
www.freepatentsonline.com/20040071340.html - 100k - Cached - Similar pages

Patents in Class 382/162
Input image data (255, 100, 50) is first converted into output **image data** (240, 110, 40) based on the **color** conversion properties of the **input end device** ...
www.freepatentsonline.com/CCL-382-162-p2.html - 68k - Cached - Similar pages

Optical element to reshape light with **color** and brightness ...
In the next segment of time, the **color data** locations, as well as the arrangement .... In the **input**, **image** A is acted upon by lens 3310, creating a Fourier ...
www.freepatentsonline.com/20030076423.html - 263k - Cached - Similar pages

Patents by Date - PatentStorm - Jul. 03, 2007
Input image data (255, 100, 50) is first converted into output **image data** (240, 110, 40) based on the **color** conversion properties of the **input end device** ...
www.patentstorm.us/patents-by-date/2007/0703-6.html - 50k - Cached - Similar pages

Facsimile and static presentation processing inventions new
More specially the **device** secondary **color** G-K is reproduced with ink of the pure ..... The **input** unit receives **image data**. The general-purpose process unit ...
www.freshpatents.com/Facsimile-and-static-presentation-processing-dtnewntc358.php - 102k - Cached - Similar pages

Computer graphics processing, operator interface processing, and ...
A logic circuit receives a pulse signal at its **input end** and supplies the ..... of digital gamma **data** each relating to at least one **predetermined color**. ...
www.freshpatents.com/Computer-graphics-processing-operator-interface-processing-and-selective-visual-disp... - 298k - Cached - Similar pages

Computer graphics processing, operator interface processing, and ...
20070120818 - Method for selecting **input end** of display: A method for selecting **an input end** ..... The method includes **receiving image data** for the images. ...
www.freshpatents.com/Computer-graphics-processing-operator-interface-processing-and-selective-visual-disp... - 371k - Cached - Similar pages

[PDF] QMS magicolor 6100 Print System Operation
File Format: PDF/Adobe Acrobat
compatibility with popular **input** and output **devices**. .... tion error, optimizes **color gamut**, diffuses jaggedness and moiré patterns and elimi- ...
www.precision.com/manuals/QMS_magi**color**_6100_Manual.pdf - Similar pages

[PDF] QMS magicolor 2+ Print System Operation
File Format: PDF/Adobe Acrobat
sette, but the media cassette must be **located** in the upper **input** ..... For example, if you attempt to print a 4-**color image** at 2400x600 dpi resolution ...
www.precision.com/manuals/QMS_magi**color**_2_plus_Manual.pdf - Similar pages

[PDF] HDP820 Technical Service and Maintenance Manual
File Format: PDF/Adobe Acrobat

The Card is centered on the Flipper Table based on **input** from the ... until the **image data** is depleted. All Stop. (Note: The Ribbon Encoder is active ...
www.interfiles.de/dtc500_series_userguide.pdf - Similar pages

Google ▶
1 2 **Next**

Web Results **11** - **11** of **11** for **an input portion receiving input color image data which is defined for an input-end devic**

EFFICIENT LIGHT ENGINE SYSTEMS, COMPONENTS AND METHODS OF ...
9 shows the respective **input** distribution used to generate the **data** and the ..... 15 shows a **color** cube'as preferred **color**-separating **device** 230 due to is ...
www.wikipatents.com/ca/2339545.html - 295k - Cached - Similar pages

Results for "(color image<and>gamut and hue)<and>output and input and compression"
Your search matched **19** of **1701526** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

1. **Digital color imaging**
Sharma, G.; Trussell, H.J.;
Image Processing, IEEE Transactions on
Volume 6, Issue 7, July 1997 Page(s):901 - 932
Digital Object Identifier 10.1109/83.597268
AbstractPlus | References | Full Text: PDF(432 KB) IEEE JNL
Rights and Permissions

2. **Color imaging for multimedia**
Sharma, G.; Vrhel, M.J.; Trussell, H.J.;
Proceedings of the IEEE
Volume 86, Issue 6, June 1998 Page(s):1088 - 1108
Digital Object Identifier 10.1109/5.687831
AbstractPlus | References | Full Text: PDF(236 KB) IEEE JNL
Rights and Permissions

3. **2nd Joint IEEE International Workshop on Visual Surveillance and Performance Evalu Tracking and Surveillance (VS-PETS)**
Research in Microelectronics and Electronics, 2005 PhD
Volume 1, 25-28 July 2005 Page(s):241 - 611
Digital Object Identifier 10.1109/RME.2005.1543049
AbstractPlus | Full Text: PDF(35708 KB) IEEE CNF
Rights and Permissions

4. **Digital Coding of Color Video Signals--A Review**
Limb, J.; Rubinstein, C.; Thompson, J.;
Communications, IEEE Transactions on [legacy, pre - 1988]
Volume 25, Issue 11, Nov 1977 Page(s):1349 - 1385
AbstractPlus | Full Text: PDF(4272 KB) IEEE JNL
Rights and Permissions

5. **A Multiscale Framework for Spatial Gamut Mapping**
Farup, I.; Gatta, C.; Rizzi, A.;
Image Processing, IEEE Transactions on
Volume 16, Issue 10, Oct. 2007 Page(s):2423 - 2435
Digital Object Identifier 10.1109/TIP.2007.904946
AbstractPlus | Full Text: PDF(1652 KB) IEEE JNL

Rights and Permissions

6. **Application of a model of color appearance to practical problems in imaging**
Hunt, R.W.G.;
Proceedings of the IEEE
Volume 90, Issue 1, Jan. 2002 Page(s):57 - 63
Digital Object Identifier 10.1109/5.982405
AbstractPlus | References | Full Text: PDF(99 KB) | Full Text: HTML IEEE JNL
Rights and Permissions

7. **Introduction to cinematographic color management**
Stauder, J.; Blonde, L.;
Visual Media Production, 2004. (CVMP). 1st European Conference on
15-16 March 2004 Page(s):221 - 229
AbstractPlus | Full Text: PDF(919 KB) IET CNF

8. **Visualizing color gamuts: a user interface for the effective use of perceptual color spa displays**
Robertson, P.K.;
Computer Graphics and Applications, IEEE
Volume 8, Issue 5, Sept. 1988 Page(s):50 - 64
Digital Object Identifier 10.1109/38.7761
AbstractPlus | Full Text: PDF(1300 KB) IEEE JNL
Rights and Permissions

9. **Ten years of art imaging research**
Martinez, K.; Cupitt, J.; Saunders, D.; Pillay, R.;
Proceedings of the IEEE
Volume 90, Issue 1, Jan. 2002 Page(s):28 - 41
Digital Object Identifier 10.1109/5.982403
AbstractPlus | References | Full Text: PDF(598 KB) | Full Text: HTML IEEE JNL
Rights and Permissions

10. **Vision-based strategy to reduce the perceived color misregistration of image-capturin**
Xiao-Fan Feng; Daly, S.;
Proceedings of the IEEE
Volume 90, Issue 1, Jan. 2002 Page(s):18 - 27
Digital Object Identifier 10.1109/5.982402
AbstractPlus | References | Full Text: PDF(488 KB) | Full Text: HTML IEEE JNL
Rights and Permissions

11. **The application of perceptual color spaces to the display of remotely sensed imagery**
Robertson, P.K.; O'Callaghan, J.F.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 26, Issue 1, Jan. 1988 Page(s):49 - 59
Digital Object Identifier 10.1109/36.2999
AbstractPlus | Full Text: PDF(1588 KB) IEEE JNL
Rights and Permissions

12. **Color to gray and back: color embedding into textured gray images**
de Queiroz, R.L.; Braun, K.M.;
Image Processing, IEEE Transactions on
Volume 15, Issue 6, June 2006 Page(s):1464 - 1470
Digital Object Identifier 10.1109/TIP.2006.871181
AbstractPlus | Full Text: PDF(1384 KB) IEEE JNL
Rights and Permissions

13. **Absolute Moment Block Truncation Coding and Its Application to Color Images**
Lema, M.; Mitchell, O.;
Communications, IEEE Transactions on [legacy, pre - 1988]
Volume 32, Issue 10, Oct 1984 Page(s):1148 - 1157
AbstractPlus | Full Text: PDF(1864 KB) IEEE JNL
Rights and Permissions

14. **Subband/VQ coding of color images with perceptually optimal bit allocation**
Van Dyck, R.E.; Rajala, S.A.;
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 4, Issue 1, Feb. 1994 Page(s):68 - 82, 101
Digital Object Identifier 10.1109/76.276173
AbstractPlus | Full Text: PDF(1236 KB) IEEE JNL
Rights and Permissions

15. **Effects of luminance quantization error on color image processing**
Rodriguez, J.J.; Yang, C.C.;
Image Processing, IEEE Transactions on
Volume 3, Issue 6, Nov. 1994 Page(s):850 - 854
Digital Object Identifier 10.1109/83.336254
AbstractPlus | Full Text: PDF(560 KB) IEEE JNL
Rights and Permissions

16. **Dependent scalar quantization of color images**
Soo-Chang Pei; Ching-Min Cheng;
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 5, Issue 2, April 1995 Page(s):124 - 139
Digital Object Identifier 10.1109/76.388061
AbstractPlus | Full Text: PDF(1244 KB) IEEE JNL
Rights and Permissions

17. **Content-based image retrieval at the end of the early years**
Smeulders, A.W.M.; Worring, M.; Santini, S.; Gupta, A.; Jain, R.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 22, Issue 12, Dec. 2000 Page(s):1349 - 1380
Digital Object Identifier 10.1109/34.895972
AbstractPlus | References | Full Text: PDF(1572 KB) IEEE JNL
Rights and Permissions

18. **Detail preserving reproduction of color images for monochromats and dichromats**
Rasche, K.; Geist, R.; Westall, J.;
Computer Graphics and Applications, IEEE
Volume 25, Issue 3, May-June 2005 Page(s):22 - 30
Digital Object Identifier 10.1109/MCG.2005.54
AbstractPlus | Full Text: PDF(1688 KB) IEEE JNL
Rights and Permissions

19. **Camera-based calibration techniques for seamless multiprojector displays**
Brown, M.; Majumder, A.; Yang, R.;
Visualization and Computer Graphics, IEEE Transactions on
Volume 11, Issue 2, Mar-Apr 2005 Page(s):193 - 206
Digital Object Identifier 10.1109/TVCG.2005.27
AbstractPlus | Full Text: PDF(1992 KB) IEEE JNL
Rights and Permissions

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24158	COLOR ADJ IMAGE	EPO; JPO	OR	OFF	2007/12/10 08:41
L2	0	1 and (end adj gamut)	EPO; JPO	OR	OFF	2007/12/10 08:39
L3	0	1 and (predetermined with end with gamut)	EPO; JPO	OR	OFF	2007/12/10 08:39
L4	0	1 and (predetermined with egamut)	EPO; JPO	OR	OFF	2007/12/10 08:39
L5	5	1 and (predetermined with gamut)	EPO; JPO	OR	OFF	2007/12/10 08:39
L6	2	5 and compress$4	EPO; JPO	OR	OFF	2007/12/10 08:40
L7	2	6 and hue	EPO; JPO	OR	OFF	2007/12/10 08:41
L8	69103	COLOR ADJ IMAGE	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:41
L9	1	8 and (end with predetermined with gamut)	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:42
L10	68	8 and (end with gamut)	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:43
L11	39	10 and compress$4	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:42
L12	32	11 and hue	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:42
L13	22	12 and output and input	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:42
L14	1	8 and (predetermined with end with input with gamut)	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:43
L15	1	8 and (predetermined with end with gamut)	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:43
L16	202	8 and (predetermined with gamut)	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:43
L17	46	8 and (predetermined with input with gamut)	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:43
L18	29	17 and (predetermined with output with gamut)	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:44
L19	26	18 and compress$4	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:44
L20	22	19 and hue	US-PGPUB; USPAT	OR	OFF	2007/12/10 08:44